

Product Data Sheet

Product Name: WP9QY TFA

Cat. No.: GC72146

Chemical Properties

Cas. No.

Formula $C_{60}H_{72}F_3N_{11}O_{17}S_2$ M.Wt 1340.4


Solubility DMSO : 7.14 mg/mL (5.33 mM); ultrasonic and warming and heat to 60°C; Hygroscopic DMSO has a significant impact on the solubility of product, please use newly opened DMSO); H_2O : < 0.1 mg/mL (insoluble)

Storage Sealed storage, away from moisture, Powder: -80°C 2 years; -20°C 1 year

General tips For obtaining a higher solubility , please warm the tube at 37 °C and shake it in the ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.

Shipping Condition Evaluation sample solution : ship with blue ice All other available size: ship with RT , or blue ice upon request.

Structure



Background

WP9QY, TNF- α Antagonist, TNF- α Antagonist is a biological active peptide. (This cyclic peptide is

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA

Product Data Sheet

designed to mimic the most critical tumor necrosis factor (TNF) recognition loop on TNF receptor I. It prevents interactions of TNF with its receptor. This TNF antagonist is a useful template for the development of small molecular inhibitors to prevent both inflammatory bone destruction and systemic bone loss in rheumatoid arthritis.)

References:

[1]. Lin CC, et al. Functional PEG-peptide hydrogels to modulate local inflammation induced by the pro-inflammatory cytokine TNF α . Biomaterials. 2009 Oct;30(28):4907-14.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA