

Product Data Sheet

Product Name: Ningetinib Tosylate

Cat. No.: GC36744

Chemical Properties

Cas. No. 1394820-77-9

SMILES CC1=CC=C(S(=O)(O)=O)C=C1.CC2=C(C(NC3=CC(F)=C(OC4=CC=NC5=C4C=CC(OCC(C)(O)C)=C5)C=C3)=O)C(N(C6=CC=CC=C6)N2C)=O


Formula $C_{38}H_{37}FN_4O_8S$ M.Wt 728.79

Solubility DMSO: 33.33 mg/mL (45.73 mM); Storage Store at -20°C
Water: < 0.1 mg/mL (insoluble)

General tips For obtaining a higher solubility, please warm the tube at 37 °C and shake it in the ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.

Shipping Condition Evaluation sample solution: ship with blue ice All other available size: ship with RT, or blue ice upon request.

Structure



Background

Ningetinib Tosylate is a potent, orally bioavailable small molecule tyrosine kinase inhibitor (TKI) with IC50s of 6.7, 1.9 and <1.0 nM for c-Met, VEGFR2 and Axl, respectively. VEGFR2|1.9 nM (IC50)

Ningetinib Tosylate is a potent, orally bioavailable small molecule tyrosine kinase inhibitor (TKI) with IC50s of 6.7, 1.9 and <1.0 nM for c-Met, VEGFR2 and Axl, respectively. In cell-based functional

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA

Product Data Sheet

assays, Nintedanib Tosylate (CT053PTSA) inhibits HGF and VEGF-stimulated HUVEC proliferation and microvascular angiogenesis in rat aortic rings with IC₅₀ values of 8.6 and 6.3 nM, respectively[1].

When single dosed orally (3 mg/kg) to U87MG tumor-bearing nude mice, Nintedanib Tosylate (CT053PTSA) potently inhibits the phosphorylation of c-Met and its downstream signaling kinases AKT and ERK1/2 for up to 6 hours in tumor tissues. In orthotopic U87MG human glioblastoma xenograft model, Nintedanib Tosylate prolongs the median survival time (MST) and yields significant increase in life-span value (ILS=32%, p=0.003) at an oral dose of 20 mg/kg/day (dosed 21 days) versus the vehicle-treated group[1].

[1]. Ning Xi, et al. Abstract 1755: CT053PTSA, a novel c-MET and VEGFR2 inhibitor, potently suppresses angiogenesis and tumor growth. Cancer Res 2014;74(19 Suppl):Abstract nr 1755.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA