

Product Data Sheet

Product Name: Ivacaftor-d4

Cat. No.: GC70634

Chemical Properties

Cas. No.

Formula $C_{24}H_{24}D_4N_2O_3$ M.Wt 396.52


Solubility DMSO : 50 mg/mL (126.10 mM);
Need ultrasonic; Hygroscopic DMSO
has a significant impact on the
solubility of product, please use
newly opened DMSO)

Storage 4°C, sealed storage, away from
moisture

General tips For obtaining a higher solubility , please warm the tube at 37 °C and shake it in the
ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.

Shipping Condition Evaluation sample solution : ship with blue ice All other available size: ship with RT , or
blue ice upon request.

Structure



Background

Ivacaftor-d4 (VX-770-d4) is the deuterium labeled-Ivacaftor . Ivacaftor is a potent and orally active CFTR potentiator, targeting G551D-CFTR and F508del-CFTR with EC50s of 100 nM and 25 nM, respectively.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA

Product Data Sheet

Ivacaftor (10 μ M) increases the PC secretion activity by 3-fold for ABCB4-G535D, 13.7-fold for ABCB4-G536R, 6.7-fold for ABCB4-S1076C, 9.4-fold for ABCB4-S1176L, and 5.7-fold for ABCB4-G1178S. Ivacaftor corrects the functional defect of ABCB4 mutants^[1].

Ivacaftor (10 μ M) significantly increases CFTR activity in W1282X-expressing cells compared to R1162X CFTR cells^[2].

Ivacaftor shows no significant activity against 160 targets tested including the GABA_A benzodiazepine receptor. Ivacaftor increases the chloride secretion with an EC₅₀ value of 0.236 ± 0.200 μ M, a 10-fold shift in potency compared to the F508del HBEs^[3].

In recombinant cells, Ivacaftor increases CFTR channel open probability (P_o) in both the F508del processing mutation and the G551D gating mutation. Ivacaftor increases forskolin-stimulated I_T in temperature-corrected F508del-FRT cells by appr 6-fold with an EC₅₀ of 25 nM^[4].

Ivacaftor (1-200 mg/kg, p.o.) exhibits good oral bioavailability in rat^[3].

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA