

## Product Data Sheet

Product Name: Dimethyl fumarate-d2

Cat. No.: GC74090

### Chemical Properties

Cas. No. 23057-98-9

Formula  $C_6H_6D_2O_4$

M.Wt 146.14


Solubility

Storage -20°C

**General tips** For obtaining a higher solubility, please warm the tube at 37 °C and shake it in the ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.

**Shipping Condition** Evaluation sample solution: ship with blue ice. All other available size: ship with RT, or blue ice upon request.

**Structure**



### Background

Dimethyl fumarate-d2 is the deuterium labeled Dimethyl fumarate[1]. Dimethyl fumarate (DMF) is an orally active and brain-penetrant Nrf2 activator and induces upregulation of antioxidant gene expression. Dimethyl fumarate induces necroptosis in colon cancer cells through GSH depletion/ROS increase/MAPKs activation pathway, and also induces cell autophagy. Dimethyl fumarate can be used

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA

## Product Data Sheet

---

for multiple sclerosis research[2][3].

Stable heavy isotopes of drogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs[1].

### References:

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother*. 2019 Feb;53(2):211-216.
- [2]. Peng H, et al. Dimetl fumarate inhibits dendritic cell maturation via nuclear factor  $\kappa$ B (NF- $\kappa$ B) and extracellular signal-regulated kinase 1 and 2 (ERK1/2) and mitogen stress-activated kinase 1 (MSK1) signaling. *J Biol Chem*. 2012 Aug 10;287(33):28017-26.
- [3]. Cross SA, et al. Dimetl fumarate, an immune modulator and inducer of the antioxidant response, suppresses HIV replication and macrophage-mediated neurotoxicity: a novel candidate for HIV neuroprotection. *J Immunol*. 2011 Nov 15187(10):5015-25.
- [4]. Jing X, et al. Dimetl fumarate attenuates 6-OHDA-induced neurotoxicity in SH-SY5Y cells and in animal model of Parkinson's disease by enhancing Nrf2 activity. *Neuroscience*. 2015 Feb 12286:131-40
- [5]. Xin Xie, et al. Dimetl fumarate induces necroptosis in colon cancer cells through GSH depletion/ROS increase/MAPKs activation pathway. *Br J Pharmacol*. 2015 Aug172(15):3929-43.

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA