

Product Data Sheet

Product Name: Pirfenidone-d5

Cat. No.: GC40197

Chemical Properties

Cas. No. 1020719-62-3

SMILES CC(C=C1)=CN(C2=C([2H])C([2H])=C([2H])C([2H])=C2[2H])C1=O


Formula C₁₂H₆D₅NO M.Wt 190.3

Solubility DMSO : 100 mg/mL (525.62 mM; ultrasonic and warming and heat to 60°C) Storage Store at -20°C

General tips For obtaining a higher solubility , please warm the tube at 37 °C and shake it in the ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.

Shipping Condition Evaluation sample solution : ship with blue ice All other available size: ship with RT , or blue ice upon request.

Structure



Background

Pirfenidone-d5 is intended for use as an internal standard for the quantification of pirfenidone by GC- or LC-MS. Pirfenidone is an orally bioavailable pyridone derivative with antifibrotic, anti-inflammatory, and antioxidant activities. It inhibits TGF-β1-stimulated increases in collagen type I, fibronectin, and Hsp47 expression in A549 lung cancer cells in a concentration-dependent manner. Pirfenidone (300 mg/kg per day) inhibits fibrosis and inhibits increases in collagen content, fibrocyte pool size, and the levels of chemokines CCL2 and CCL12 in lung in a mouse model of pulmonary fibrosis induced by bleomycin . In a mouse model of non-alcoholic steatohepatitis (NASH), pirfenidone inhibits fibrosis

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA

Product Data Sheet

and increases in hepatocyte apoptosis, lobular inflammation, and hepatic expression of the fibrosis-related genes Col1a1, Timp1, Tgfb1, Pdgfb, and Fgf2 when administered at a dose of 280 mg/kg but has no effect on steatosis. Pirfenidone also inhibits NADPH-dependent lipid peroxidation in sheep liver microsomes and scavenges hydroxyl radicals (IC50s = ~6 and ~2.5 mM, respectively). Formulations containing pirfenidone have been used in the treatment of idiopathic pulmonary fibrosis.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA