

Product Data Sheet

Product Name: Triclopyr

Cat. No.: GD21761

Chemical Properties

Cas. No. 55335-06-3


Formula C₇H₄Cl₃NO₃ M.Wt 256.471

Solubility DMSO : 125 mg/mL (487.39 mM; Storage
Need ultrasonic)

General For obtaining a higher solubility , please warm the tube at 37 °C and shake it in the
tips ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.

Shipping Evaluation sample solution : ship with blue ice All other available size: ship with RT , or
Condition blue ice upon request.

Structure



Background

Triclopyr, a foliar systemic herbicide and fungicide, is widely used for broadleaf and woody plant control. Triclopyr has severe toxicity.

Triclopyr (3 mM; 48 hours) treatment exhibits cytotoxicity against N2a cells [1].

Pharmacokinetic Analysis

Triclopyr exhibits moderate half-lives (dog 25 h and monkey 6.3 h) due to plasma clearance (18 mL/h/kg, 26 mL/h/kg respectively) following oral gavage (3 male beagle dogs ;0.5 mg/kg, 5 mg/kg and 20 mg/kg) and intravenous administration (1 male rhesus monkey; 30 mg/kg) [2].

[1]. Tejaswini P Reddy, et al. Toxicity of neurons treated with herbicides and neuroprotection by mitochondria-targeted antioxidant SS31. Int J Environ Res Public Health. 2011 Jan;8(1):203-21.

[2]. C Timchalk, et al. Pharmacokinetics of triclopyr (3,5,6-trichloro-2-pyridinyloxyacetic acid) in the beagle dog and rhesus monkey: perspective on the reduced capacity of dogs to excrete this organic

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA

Product Data Sheet

acid relative to the rat, monkey, and human. Toxicol Appl Pharmacol. 1997 Jun;144(2):268-78.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA