

Product Data Sheet

Product Name: Cilnidipine

Cat. No.: GC12312

Chemical Properties

Cas. No. 132203-70-4

Chemical Name 3-O-(2-methoxyethyl) 5-O-[(E)-3-phenylprop-2-enyl] 2,6-dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylate

SMILES CC1=C(C(C(=C(N1)C)C(=O)OCC=CC2=CC=CC=C2)C3=CC(=CC=C3)[N+](=O)[O-])C(=O)OCCOC

Formula C₂₇H₂₈N₂O₇

M.Wt 492.52


Solubility ≥ 24.6mg/mL in DMSO

Storage 4°C, protect from light

General tips For obtaining a higher solubility, please warm the tube at 37 °C and shake it in the ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.

Shipping Condition Evaluation sample solution : ship with blue ice All other available size: ship with RT, or blue ice upon request.

Structure



Background

Cilnidipine(FRC8653) is a dual L- and N-type calcium channel blocker and displays antihypertensive, sympatholytic and neuroprotective activity. IC₅₀ value:Target: calcium channelCilnidipine has

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA

Product Data Sheet

displayed renal and vascular protective effects and improved baroreflex sensitivity in patients with hypertension. It has also demonstrated neuroprotective effects in a rat focal brain ischemia model by removing free radicals and activating the phosphatidylinositol 3-kinase pathway.

References:

- [1]. Masuda T, Ogura MN, Moriya T, et al. Beneficial effects of L- and N-type calcium channel blocker on glucose and lipid metabolism and renal function in patients with hypertension and type II diabetes mellitus. *Cardiovasc Ther.* 2011 Feb;29(1):46-53. doi: 10
- [2]. Morimoto S, Yano Y, Maki K, Iwasaka T. Renal and vascular protective effects of cilnidipine in patients with essential hypertension. *J Hypertens.* 2007 Oct;25(10):2178-83.
- [3]. Takahara A, Konda T, Enomoto A, Kondo N. Neuroprotective effects of a dual L/N-type Ca(2+) channel blocker cilnidipine in the rat focal brain ischemia model. *Biol Pharm Bull.* 2004 Sep;27(9):1388-91.
- [4]. Murai Y, Uneyama H, Ishibashi H et al. Preferential inhibition of L- and N-type calcium channels in the rat hippocampal neurons by cilnidipine. *Brain Res.* 2000 Jan 31;854(1-2):6-10.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA