

Product Data Sheet

Product Name: MMA-NODAGA TFA

Cat. No.: GC81534

Chemical Properties

Cas. No.

Formula $C_{23}H_{32}F_3N_5O_{11}$

M.Wt 611.52


Solubility

Storage Store at -20°C, sealed storage, away from moisture and light

General tips For obtaining a higher solubility, please warm the tube at 37 °C and shake it in the ultrasonic bath for a while. Stock solution can be stored below -20°C for several months.

Shipping Condition Evaluation sample solution : ship with blue ice All other available size: ship with RT, or blue ice upon request.

Structure



Background

MMA-NODAGA TFA is a chelator for site-specific labeling of targeting proteins containing unpaired cysteine. MMA-NODAGA TFA can be used to conjugate with exosome and ^{64}Cu in image with positron emission tomography (PET) [1] [2].

References:

[1]. Sara F F Almeida, et al. Osteosarcoma-Derived Exosomes as Potential PET Imaging Nanocarriers for Lung Metastasis. Small. 2022 Dec;18(49):e2203999.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA

Product Data Sheet

[2]. Mohamed Altai, et al. Influence of nuclides and chelators on imaging using affibody molecules: comparative evaluation of recombinant affibody molecules site-specifically labeled with ^{68}Ga and ^{111}In via maleimido derivatives of DOTA and NODAGA. Bioconjug Chem. 2013 Jun 19;24(6):1102-9.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: (909) 407-4943 Fax: (626) 353-8530 E-mail: tech@glpbio.com

Address: 10292 Central Ave. #205, Montclair, CA, USA